Author Index

Afeyan, N. B., see Fulton, S. P. 547(1991)452
Albrecht, M., see Nitz, S. 547(1991)516
Alekseeva, I. V., see Galushko, S. V. 547(1991)161
Alvaro Cebrian, J., see Muiño Blanco, M. T. 547(1991)79
Auboiron, S., Bauchart, D. and David, L. Separation and determination of polyether carboxylic antibiotics from *Streptomyces hygroscopicus* NRRL B 1865 by thin-layer chromatography with flame ionization detection 547(1991)411
Auriola, S., see Vainiotalo, P. 547(1991)367
Ayyangar, N. R., Biswas, S. S. and Tambe, A. S. Separation of opium alkaloids by thin-layer chromatography combined with flame ionization detection using the peak pyrolysis method 547(1991)538
Bagheri, H. and Creaser, C. S. Determination of carbaryl and 1-naphthol in English apples and strawberries by combined gas chromatography–fluorescence spectrometry 547(1991)345
Bagnati, R. and Fanelli, R. Determination of 19-nortestosterone, testosterone and trenbolone by gas chromatography–negative-ion mass spectrometry after formation of the pentafluorobenzylcarboxymethoxime–trimethylsilyl derivatives 547(1991)325
Barbaro, A. M., see Biagi, G. L. 547(1991)523
Bauchart, D., see Auboiron, S. 547(1991)411
Becerra, M. R., Fernández-Sánchez, E., Fernández-Torres, A., García-Domínguez, J. A. and Santiuste, J. M. Evaluation of the effect of the cyanopropyl radical on the interaction of the methylene group with silicone stationary phases 547(1991)269
Berger, T. A. and Deye, J. F. Role of additives in packed column supercritical fluid chromatography: suppression of solute ionization 547(1991)377
Berrini, A., Borromeo, V. and Secchi, C. Purification to homogeneity of bovine prolactin by high-performance ion-exchange chromatography 547(1991)457
Betts, T. J., Moir, C. M. and Tassone, A. I. Use of a liquid crystal stationary phase at temperatures below its melting point for the gas chromatographic study of some volatile oil constituents 547(1991)335
Bézard, J. A., see Semporé, B. G. 547(1991)89
Biagi, G. L., Guerra, M. C., Barbaro, A. M., Sapone, A. and Recanatini, M. Lipophilic character of cardiac glycosides: correlation between R_M values and acute toxicity data in different animal species. 547(1991)523
Biswas, S. S., see Ayyangar, N. R. 547(1991)538
Bökönyi, G., see Szőke, B. 547(1991)121
Bontempelli, G., see De Paoli, M. 547(1991)355
Borromeo, V., see Berrini, A. 547(1991)457
Boudrant, J., see Sentier, L. 547(1991)531
Bruno, A., see Pietta, P. G. 547(1991)439
Calvino, R., Fruttero, R. and Gasco, A. Reversed-phase high-performance liquid chromatographic study of the lipophilicity of a series of analogues of the antibiotic "calvatic acid" 547(1991)167
Camilleri, P., see Okafo, G. N. 547(1991)551
Caponecchi, G., see Ossicini, L. 547(1991)283
Chen, Y., see Liu, W. 547(1991)509
Chen, Y.-H., see Oshima, T. 547(1991)175
Chen, Z., see Liu, W. 547(1991)509
Creaser, C. S., see Bagheri, H. 547(1991)345
Cristalli, A., see Ossicini, L. 547(1991)283
Croucher, M. D., see Xu, R. 547(1991)434
Daban Haurou, C., Declercq, G., Ramiandrasoa, P. and Millet, J. L. Enantiomeric resolution of amino acid derivatives by high-performance liquid chromatography on chiral stationary phases derived from L-proline 547(1991)31
David, L., see Auboiron, S. 547(1991)411
De Bettignies-Dutz, A., Reznicek, G., Kopp, B. and Jurenitsch, J. Gas chromatographic–mass spectrometric separation and characterization of methyl trimethylsilyl monosaccharides obtained from naturally occurring glycosides and carbohydrates 547(1991)299
Declercq, G., see Daban Haurou, C. 547(1991)31
Delvordre, P., see Regnault, C. 547(1991)403
De Paoli, M., Taccheo-Barbina, M. and Bontempelli, G. Gas chromatographic system for the identification of halogenated pesticides by retention indices using *n*-alkanes as standards 547(1991)355
Deye, J. F., see Berger, T. A. 547(1991)377
Drawert, F., see Nitz, S. 547(1991)516

Drevin, I. and Johansson, B.-L.
Stability of Superdex 75 prep grade and Superdex 200 prep grade under different chromatographic conditions 547(1991)21
Edwards, C. and Strange, R. N.
Separation and identification of phytoalexins from leaves of groundnut (*Arachis hypogaea*) and development of a method for their determination by reversed-phase high-performance liquid chromatography 547(1991)185
Eichler, J., see Podzimek, Š. 547(1991)195
Emmer, Å., Jansson, M. and Roeraade, J.
Improved capillary zone electrophoretic separation of basic proteins, using a fluorosurfactant buffer additive 547(1991)544
Fanelli, R., see Bagnati, R. 547(1991)325
Fernández-Sánchez, E., see Becerra, M. R. 547(1991)269
Fernández-Torres, A., see Becerra, M. R. 547(1991)269
Fillion, L., Zee, J. A. and Gosselin, C.
Determination of a cholesterol oxide mixture by a single-run high-performance liquid chromatographic analysis using benzoylation 547(1991)105
Fritz, J. S., see Strasburg, R. F. 547(1991)11
Fruttero, R., see Calvino, R. 547(1991)167
Fulton, S. P., Afeyan, N. B., Gordon, N. F. and Regnier, F. E.
Very high speed separation of proteins with a 20-μm reversed-phase sorbent 547(1991)452
Galushko, S. V., Shishkina, I. P. and Alekseeva, I. V.
Relationship between retention parameters in reversed-phase high-performance liquid chromatography and antitumour activity of some pyrimidine bases and nucleosides 547(1991)161
Gao, J.-P., see Leff, V. 547(1991)462
García-Domínguez, J. A., see Becerra, M. R. 547(1991)269
Gardana, C., see Pietta, P. G. 547(1991)439
Gasco, A., see Calvino, R. 547(1991)167
Geerdink, R. B., Graumans, A. M. B. C. and Viveen, J.
Determination of phenoxyacid herbicides in water 547(1991)478
Germain, P., see Sentier, L. 547(1991)531
Ghose, S. and Mattiasson, B.
Evaluation of displacement chromatography for the recovery of lactate dehydrogenase from beef heart under scale-up conditions 547(1991)145
Gluck, S. J. and Wingeier, M. P.
Development of a phase system for intermediate polarity compounds in centrifugal partition chromatography 547(1991)69
Gordon, N. F., see Fulton, S. P. 547(1991)452
Goronowicz, J., see Ossicini, L. 547(1991)283
Gosselin, C., see Fillion, L. 547(1991)105
Graumans, A. M. B. C., see Geerdink, R. B. 547(1991)478
Guerra, M. C., see Biagi, G. L. 547(1991)523
Hancock, F. E., see Lindsay Smith, J. R. 547(1991)447
Hannan, R. M. and Hill, Jr., H. H.
Analysis of lipids in aging seed using capillary supercritical fluid chromatography 547(1991)393
Hasegawa, A., see Teramachi, S. 547(1991)429
He, L.-Y., see Oshima, T. 547(1991)175
He, Y., see Hu, H. 547(1991)494
Herrera, R. J., see Leff, V. 547(1991)462
Hill, Jr., H. H., see Hannan, R. M. 547(1991)393
Hindriks, H., see Maris, F. A. 547(1991)45
Hirayama, F., see Oshima, T. 547(1991)175
Horváth, A., see Szöke, B. 547(1991)121
Hostettmann, K.
Countercurrent chromatography: apparatus, theory and applications (by W. D. Conway) (Book Review) 547(1991)560
Hu, H., Zhu, M., He, Y. and Sun, K.
Study of large sample volume injection in a capillary gas chromatographic
Hu, Y., see Xu, R. 547(1991)434
Hummel, M., see Koppenhoefer, B. 547(1991)239
Hušek, P.
Derivatization and gas chromatographic determination of hydroxycarboxylic acids treated with chloroformates 547(1991)307
Idei, M., see Szöke, B. 547(1991)121
Itokawa, H., see Oshima, T. 547(1991)175
Jansson, M., see Emmer, Å. 547(1991)544
Johansson, B.-L., see Drevin, I. 547(1991)21
Johansson, G., see Muiño Blanco, M. T. 547(1991)79
Julkunen-Tiitto, R., see Vainiotalo, P. 547(1991)367
Juntheikki, M.-R., see Vainiotalo, P. 547(1991)367
Jurenitsch, J., see De Bettignies-Dutz, A. 547(1991)299
Kéri, G., see Szöke, B. 547(1991)121
Kok, W. T., see Tüdős, A. J. 547(1991)1
Kollmannsberger, H., see Nitz, S. 547(1991)516
Kopp, B., see De Bettignies-Dutz, A. 547(1991)299

Koppenhoefer, B., Laupp, G. and Hummel, M.
Temperature dependence of dead time as determined by methane retention in open-tubular capillary gas chromatography 547(1991)239
Koscielski, T., see Ossicini, L. 547(1991)283
Kumar, V., see Tiwari, B. B. 547(1991)554
Laupp, G., see Koppenhoefer, B. 547(1991)239
Lee, H.-B. and Peart, T. E.
Determination of resin and fatty acids in sediments near pulp mill locations 547(1991)315
Lee, H. K., see Ong, C. P. 547(1991)419
Leff, V., Gao, J.-P., Vega, L. R. and Herrera, R. J.
Enrichment of biologically active U1 small nuclear RNAs by ion-exchange high-performance liquid chromatography 547(1991)462
Lema, M., Otero, J. and Marcó, J.
Two-parameter mobile phase optimization for the simultaneous high-performance liquid chromatographic determination of dopamine, serotonin and related compounds in microdissected rat brain nuclei 547(1991)113
Leoncini, R., see Terzuoli, L. 547(1991)472
Lewis, V. D., see Urasa, I. T. 547(1991)211
Li, S. F. Y., see Ong, C. P. 547(1991)419
Lindsay Smith, J. R., Smart, A. U., Hancock, F. E. and Twigg, M. V.
High-performance liquid chromatographic determination of low levels of primary and secondary amines in aqueous solutions including 2-amino-2-methylpropanol by pre-column derivatisation to sulphonamides 547(1991)447
Lipkowski, J., see Pawłowska, M. 547(1991)59
Liu, W., Chen, Z., Xu, H., Shi, Y. and Chen, Y.
Determination of diclofop-methyl and diclofop residues in soil and crops by gas chromatography 547(1991)509
Mandal, S., Naqvi, A. A. and Thakur, R. S.
Analysis of some tropane alkaloids in plants by mixed-column high-performance liquid chromatography 547(1991)468
Marchal, J., see Sentier, L. 547(1991)531
Marcó, J., see Lema, M. 547(1991)113
Marinello, E., see Terzuoli, L. 547(1991)472
Maris, F. A., Vervoort, R. J. M. and Hindriks, H.
Applicability of new chiral stationary phases in the separation of racemic pharmaceutical compounds by high-performance liquid chromatography 547(1991)45
Matsumoto, T., see Teramachi, S. 547(1991)429
Mattiasson, B., see Ghose, S. 547(1991)145
Mauri, P. L., see Pietta, P. G. 547(1991)439
Mavura, W. J., see Urasa, I. T. 547(1991)211
Millet, J. L., see Daban Haurou, C. 547(1991)31
Mizutani, T., see Oshima, T. 547(1991)175
Moir, C. M., see Betts, T. J. 547(1991)335
Muiño Blanco, M. T., Alvaro Cebrian, J., Olde, B. and Johansson, G.
Subfractions of membranes from calf brain synaptosomes obtained and studied by liquid–liquid partitioning 547(1991)79
Nam, S. H., see Urasa, I. T. 547(1991)211
Naples, J. O., see Strasburg, R. F. 547(1991)11
Naqvi, A. A., see Mandal, S. 547(1991)468
Ng, C. L., see Ong, C. P. 547(1991)419
Nitz, S., Kollmannsberger, H., Albrecht, M. and Drawert, F.
Thermal desorption– and sniffing–mass spectrometric monitoring of enriched trace compounds by means of a "live total transfer system" 547(1991)516
Okafo, G. N. and Camilleri, P.
Capillary electrophoretic separation in both H_2O- and ^2H_2O-based electrolytes can provide more information on tryptic digests 547(1991)551
Olde, B., see Muiño Blanco, M. T. 547(1991)79
Ong, C. P., Ng, C. L., Lee, H. K. and Li, S. F. Y.
Separation of water- and fat-soluble vitamins by micellar electrokinetic chromatography 547(1991)419
Oshima, T., Sagara, K., Hirayama, F., Mizutani, T., He, L.-Y., Tong, Y.-Y., Chen, Y.-H. and Itokawa, H.
Combination of ion-pair and column switching in high-performance liquid chromatography of tropane alkaloids 547(1991)175
Ossicini, L., Perez, G., Caponecchi, G., Cristalli, A., Sybilska, D., Koscielski, T. and Goronowicz, J.
Stereoselectivity of α-, β- and γ-cyclodextrin complexation relative to *cis–trans* acyclic alkenes and cyclooctenes under conditions of gas–liquid chromatography 547(1991)283
Otero, J., see Lema, M. 547(1991)113
Ozinga, W. J. J., see Tüdős, A. J. 547(1991)1
Pagani, R., see Terzuoli, L. 547(1991)472
Pankow, J. F.
Gas phase retention volume behavior of organic compounds on Carbotrap graphitized carbon 547(1991)488
Pawłowska, M. and Lipkowski, J.
Chromatographic liquid–liquid ternary phase system with permethylated β-cyclodextrin as chiral additive 547(1991)59
Peart, T. E., see Lee, H.-B. 547(1991)315

Pennings, E. J. M., see Poulsen, C. 547(1991)155
Perez, G., see Ossicini, L. 547(1991)283
Pietta, P. G., Mauri, P. L., Gardana, C. and Bruno, A.
High-performance liquid chromatography with diode-array ultraviolet detection of methoxylated flavones in *Orthosiphon* leaves 547(1991)439
Podzimek, Š., Eichler, J. and Tkaczyk, M.
Liquid chromatographic analysis of cationic polymerized phenyl glycidyl ether 547(1991)195
Postaire, E., see Regnault, C. 547(1991)403
Poulsen, C., Pennings, E. J. M. and Verpoorte, R.
High-performance liquid chromatographic assay of anthranilate synthase from plant cell cultures 547(1991)155
Ramiandrasoa, P., see Daban Haurou, C. 547(1991)31
Recanatini, M., see Biagi, G. L. 547(1991)523
Regnault, C., Delvordre, P. and Postaire, E.
Direct use of Empore sheets in overpressured thin-layer chromatography 547(1991)403
Regnier, F. E., see Fulton, S. P. 547(1991)452
Reichardt, P., see Vainiotalo, P. 547(1991)367
Reznicek, G., see De Bettignies-Dutz, A. 547(1991)299
Riess, G., see Xu, R. 547(1991)434
Roeraade, J., see Emmer, Å. 547(1991)544
Sagara, K., see Oshima, T. 547(1991)175
Saitoh, K., see Tsukahara, S. 547(1991)225
Santiuste, J. M., see Becerra, M. R. 547(1991)269
Sapone, A., see Biagi, G. L. 547(1991)523
Secchi, C., see Berrini, A. 547(1991)457
Semporé, B. G. and Bézard, J. A.
Analysis and fractionation of natural source diacylglycerols as urethane derivatives by reversed-phase high-performance liquid chromatography 547(1991)89
Sentier, L., Marchal, J., Boudrant, J. and Germain, P.
Thin-layer chromatographic method for the simultaneous determination of physiological aromatic amino acids 547(1991)531
Shi, Y., see Liu, W. 547(1991)509
Shibamoto, T., see Yasuhara, A. 547(1991)291
Shishkina, I. P., see Galushko, S. V. 547(1991)161
Singh, R. K. P., see Tiwari, B. B. 547(1991)554
Smart, A. U., see Lindsay Smith, J. R. 547(1991)447
Smith, B. and Warwick, P.
Analysis of fulvic acids by ion-pair chromatography 547(1991)203
Strange, R. N., see Edwards, C. 547(1991)185
Strasburg, R. F., Fritz, J. S. and Naples, J. O.
Low-capacity latex-coated resins for anion chromatography 547(1991)11
Stuff, J. R.
Separation of cations in buffered 1-methyl-3-ethylimidazolium chloride–aluminum chloride ionic liquids by ion chromatography 547(1991)484
Sugimoto, S., Yamaguchi, K. and Yokoo, Y.
Characterization of recombinant eel growth hormone 547(1991)131
Sun, K., see Hu, H. 547(1991)494
Suzuki, N., see Tsukahara, S. 547(1991)225
Sybilska, D., see Ossicini, L. 547(1991)283
Szöke, B., Kéri, G., Idei, M., Horváth, A., Bökönyi, G. and Teplán, I.
Investigation of the chemical stability of (D-Phe^6, Gln^8) GnRH (1–9)-ethylamide (Folligen) by high-performance liquid chromatography 547(1991)121
Taccheo-Barbina, M., see De Paoli, M. 547(1991)355
Tambe, A. S., see Ayyangar, N. R. 547(1991)538
Tassone, A. I., see Betts, T. J. 547(1991)335
Teplán, I., see Szöke, B. 547(1991)121
Teramachi, S., Hasegawa, A. and Matsumoto, T.
Sample remaining in an ODS column after compositional fractionation of copolymers by high-performance liquid chromatography 547(1991)429
Terzuoli, L., Pagani, R., Leoncini, R., Vannoni, D. and Marinello, E.
High-performance liquid chromatography of two derivatives of vitamin B_6, the carbamoyl derivatives of pyridoxal 5'-phosphate and pyridoxamine 5'-phosphate 547(1991)472
Thakur, R. S., see Mandal, S. 547(1991)468
Thulin, H.
Determination of nor-nitrogen mustard hydrochloride using gas chromatography with flame ionization detection 547(1991)501
Tiwari, B. B., Singh, R. K. P., Kumar, V. and Yadava, K. L.
Study of chelating tendency of sulphur-containing amino acids by electrophoresis 547(1991)554
Tkaczyk, M., see Podzimek, Š. 547(1991)195
Tong, Y.-Y., see Oshima, T. 547(1991)175
Tsukahara, S., Saitoh, K. and Suzuki, N.
Reversed-phase liquid chromatographic retention of geometrical isomers of tris(β-diketonato)-chromium(III) and tris(β-diketonato)-cobalt(III). Comparison with liquid–liquid partition in a dodecane–(methanol–water) system 547(1991)225

Tüdős, A. J., Ozinga, W. J. J. and Kok, W. T.
Optimization of Nafion-coated electrodes for selective detection in high-performance liquid chromatography 547(1991)1
Twigg, M. V., see Lindsay Smith, J. R. 547(1991)447
Urasa, I. T., Mavura, W. J., Lewis, V. D. and Nam, S. H.
The speciation of iron, manganese, phosphorus and platinum in aqueous solutions by using ion chromatography coupled with an element selective detector 547(1991)211
Vainiotalo, P., Julkunen-Tiitto, R., Juntheikki, M.-R., Reichardt, P. and Auriola, S.
Chemical characteristics of herbivore defenses in *Betula pendula* winter-dormant young stems 547(1991)367
Vaisar, T. and Vanek, T.
Reversed-phase high-performance liquid chromatographic separation of 5β,20-dihydroxyecdysone and 20-hydroxyecdysone on a β-cyclodextrin-bonded stationary phase 547(1991)443
Vanek, T., see Vaisar, T. 547(1991)443
Vannoni, D., see Terzuoli, L. 547(1991)472
Vega, L. R., see Leff, V. 547(1991)462
Verpoorte, R., see Poulsen, C. 547(1991)155
Vervoort, R. J. M., see Maris, F. A. 547(1991)45
Viveen, J., see Geerdink, R. B. 547(1991)478
Voelkel, A.
Topological indices as structural parameters. Structure–retention relationships for oxyethylene derivatives of alcohols, thioalcohols and alkylamines 547(1991)247
Warwick, P., see Smith, B. 547(1991)203
Wasiak, W.
Chemically bonded chelates as selective complexing sorbents for gas chromatography. I. Alkenes 547(1991)259
Wingeier, M. P., see Gluck, S. J. 547(1991)69
Winnik, M. A., see Xu, R. 547(1991)434
Xu, H., see Liu, W. 547(1991)509
Xu, R., Hu, Y., Winnik, M. A., Riess, G. and Croucher, M. D.
Study of polystyrene–poly(ethylene oxide) block copolymer micelles in aqueous solution by size-exclusion chromatography 547(1991)434
Yadava, K. L., see Tiwari, B. B. 547(1991)554
Yamaguchi, K., see Sugimoto, S. 547(1991)131
Yasuhara, A. and Shibamoto, T.
Determination of volatile aliphatic aldehydes in the headspace of heated food oils by derivatization with 2-aminoethanethiol 547(1991)291
Yokoo, Y., see Sugimoto, S. 547(1991)131
Zee, J. A., see Fillion, L. 547(1991)105
Zhu, M., see Hu, H. 547(1991)494